



213 N. 4th Street
P.O. Box 1669
Westcliffe, CO 81252
Off: 719-783-2281 / Fax 719-783-0391

Installation Instructions for Ingress and Egress on County Maintained Roads DRIVEWAY ACCESS

Application must be filled out completely.

There will be a \$100.00 permit fee for ingress and egress on Custer County maintained roads, allowing a maximum of 2 accesses per parcel.

Properties accessible from a subdivision road must be accessed from the subdivision road unless unusual circumstances exist.

Proposed driveway must be clearly staked or flagged prior to making application for a permit. Providing a plat map showing subdivision, filing, road name or number and lot number is helpful in filling out the application.

Culverts will have a **MINIMUM** length of thirty (30) feet. The inspector will determine the diameter and length of the culvert needed during the initial inspection.

Visibility from the driveway must be a minimum of 300 feet in both directions.

Installed culverts must be **Metal** and of annular or spiral construction, **NO PLASTIC**.

Culverts must have a minimum of 6 inches of fill dirt and the top of the fill dirt must be level with the grade of the road.

Allow at least 2 weeks for the date of application for the initial inspection to be completed.

When completed applicant must notify C.C R & B for final inspection.

Driveway must be completed within 90 days from the date of application, in the event work is not completed within that 90-day period you must request an extension in the event. No, request of extension may accessed additional fee of **\$100.00**.